Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1.-6. (canceled)
- 7. (Currently amended) A mucosal adjuvant for inducing both vaccine antigenspecific antibody in blood and vaccine antigen-specific antibody secreted at the mucosal surface, comprising [[an]] a natural interferon α as the active ingredient of said mucosal adjuvant and wherein nasal mucosal administration of said mucosal adjuvant is performed at the same time as [[said]] a vaccine antigen, wherein said vaccine antigen comprises a protein or peptide antigen.
 - 8. (canceled)
- 9. (original) The mucosal adjuvant according to claim 7, wherein the amount of the interferon α used is 0.5 to 5,000,000 IU.
 - 10. (canceled)
 - 11.-12. (canceled)
- 13. (currently amended) A combined product of a vaccine antigen and mucosal adjuvant for inducing both vaccine antigen-specific antibody in blood and vaccine antigen-specific antibody secreted at the mucosal surface, wherein said mucosal adjuvant comprises [[an]] a natural interferon α as the active ingredient and nasal administration of said mucosal adjuvant is performed at the same time as said vaccine antigen, wherein said vaccine antigen comprises a protein or peptide antigen.
 - 14. (canceled)

Appl. No. 10/674,581 Amdt. dated August 29, 2007 Reply to Office Action of May 29, 2007

15. (original) The combined product according to claim 13, wherein the amount of the interferon α used is 0.5 to 5,000,000 IU.

16.-18. (canceled)

- 19. (currently amended) A mucosal adjuvant for inducing both vaccine antigenspecific antibody in blood and vaccine antigen-specific antibody secreted at the mucosal surface, wherein said mucosal adjuvant comprises [[an]] a natural interferon α as the active ingredient and wherein said vaccine antigen comprises a protein or peptide antigen.
 - 20. (canceled)
- 21. (withdrawn) A mucsal immune response activation method, comprising administration of mucosal adjuvant containing interferon α as the active ingredient at the same time as or at a different time than the vaccine antigen and by the same administration route as the vaccine antigen to subjects in whom it is necessary to augment immunity by inducing both vaccine antigen-specific antibody in blood and vaccine antigen-specific antibody secreted at the mucosal surface.
- 22. (Withdrawn) A method of inducing both vaccine antigen-specific antibody in blood and vaccine antigen-specific antibody secreted at the mucosal surface using vaccine antigen and adjuvant of this vaccine antigen, comprising
 - (1) mucosal administration of vaccine antigen,
 - (2) the use of an interferon α as the active ingredient of the adjuvant,
- (3) administration of said adjuvant at the same time as or at a different time than said vaccine antigen, and
- (4) mucosal administration of said adjuvant by the same administration route as said vaccine antigen.
- 23. (Withdrawn) The method according to claim 22, wherein the interferon α is selected from natural interferons α and recombinant interferons α .

Appl. No. 10/674,581 Amdt. dated August 29, 2007 Reply to Office Action of May 29, 2007

- 24. (Withdrawn) The method according to claim 23, wherein the amount of interferon α used is 0.5 to 5,000,000 IU.
- 25. (Withdrawn) The method according to claim 23, wherein the vaccine antigen is protein or peptide antigen.
- 26. (Withdrawn) The method according to claim 23, wherein mucosal administration is performed at the same time.
- 27. (Withdrawn) The method according to claim 26, wherein administration is via the nasal mucous membrane.

28.-30. (canceled)

- 31. (new) The mucosal adjuvant according to claim 7, wherein the vaccine antigenspecific antibody is secreted at the gastrointestinal mucosal surface.
- 32. (new) The mucosal adjuvant according to claim 7, wherein the antibody in blood is IgG.
- 33. (new) The mucosal adjuvant according to claim 7, wherein the antibody secreted at the mucosal surface is IgA.
- 34. (new) The combined product according to claim 13, wherein the vaccine antigenspecific antibody is secreted at the gastrointestinal mucosal surface.
- 35. (new) The combined product according to claim 13, wherein the antibody in blood is IgG.
- 36. (new) The combined product according to claim 13, wherein the antibody secreted at the mucosal surface is IgA.
- 37. (new) The mucosal adjuvant according to claim 19, wherein the vaccine antigenspecific antibody is secreted at the gastrointestinal mucosal surface.

Appl. No. 10/674,581 Amdt. dated August 29, 2007 Reply to Office Action of May 29, 2007

- 38. (new) The mucosal adjuvant according to claim 19, wherein the antibody in blood is IgG.
- 39. (new) The mucosal adjuvant according to claim 19, wherein the antibody secreted at the mucosal surface is IgA.